

## **Product Details**

## WD614 Outlet with Square Flat Grating

# **Technical Data**



# **Dimensions:**

224 square at finish level
405 dia. body
149 - Height below Body Flange
106 to 133 - min/max height between membrane level and top of grating
Connection - female 4" BSP threaded connection (100mm)
Free Area - body= 78cm<sup>2</sup>, grating= 170cm<sup>2</sup>
Materials - Grating - cast iron, sherardized; Body - cast iron, lacquered; Membrane Clamp - cast iron, lacquered
Load Rating Class - L15
Weight - 24.6 kg

#### **General Description:**

224 Square Cast Iron 3100 series (Deep Sump) No Fines Screed / Inverted Roof Outlet with Square Flat Grating, for use with unfinished (eg. bare concrete) or paved areas, with 4" BSP dia. vertical outlet.

#### **Options:**

To specify an option, add option letter(s) as a suffix to the Spec. Code


K - bonded insulation jacket

Z - rigid PVC flange for use with PVC single ply membranes

## Materials:

**Cast Iron - BS EN 1561:** Used for bodies, membrane clamping collars, spigot adaptors and accessories such as extensions. A widely used metal in the drainage industry, its resistance to corrosion permits extended use under extreme conditions. Castings are coated with a high grade lacquer paint to provide internal and external surface coverage. Paint will gradually wear off and is replaceable; oxidisation (surface rusting) is a natural process which does not weaken the material. A zinc anti-corrosion coating is applied to certain castings by sherardizing.

All dimensions are in millimetres unless stated. In line with general practice all dimensions shown are nominal.



# Flow Performance Figures for WD614:

Head of water at outlet	15mm	20mm	25mm	30mm	35mm	40mm	50mm
Flow Rate (l/s):	1.97	3.09	4.04	4.77	5.05	5.25	5.84
Roof area drained (m²) at 0.021 l/s per m² rainfall rate:	94	147	192	227	240	250	278

**Note:** Flow rates of Wade roof outlets have been established by full-scale tests. The values shown in the table are 75% of such tests. The design of the layout of roof outlets should be in accordance with the recommendations given in BS EN 12056:3.